

**Expanded BRFSS, 2003**

**Columbia, Greene**

Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

## Ever had Blood Cholesterol Checked

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	522	84.0	80	16.0	3.6
Gender					
Male	199	80.8	42	19.2	5.7
Female	323	87.2	38	12.8	4.2
Age					
18-34	65	59.5	41	40.5	10.4
35-54	224	90.1	26	9.9	4.0
≥55	225	94.2	13	5.8	3.3
Education					
≤High School	221	78.6	50	21.4	5.7
>High School	299	88.3	30	11.7	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had Blood Cholesterol Checked in the Past Five Years

*Columbia, Greene*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	483	79.7	113	20.3	3.8
Gender					
Male	187	77.4	53	22.6	6.0
Female	296	82.0	60	18.0	4.6
Age					
18-34	60	57.1	44	42.9	10.5
35-54	198	82.0	49	18.0	5.0
≥55	218	92.2	19	7.8	3.7
Education					
≤High School	206	74.5	64	25.5	5.9
>High School	276	83.9	48	16.1	4.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with a Disability

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	134	19.5	486	80.5	3.4
Gender					
Male	50	17.3	201	82.7	4.9
Female	84	21.8	285	78.2	4.7
Age					
18-34	10	8.9	102	91.1	5.6
35-54	47	15.5	208	84.5	4.5
≥55	76	31.1	169	68.9	6.5
Education					
≤High School	77	23.8	205	76.2	5.4
>High School	56	15.9	280	84.1	4.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eat Five Fruits or Vegetable Servings per Day

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	192	29.3	432	70.7	4.0
Gender					
Male	64	25.4	190	74.6	6.0
Female	128	33.2	242	66.8	5.3
Age					
18-34	26	23.7	86	76.3	8.8
35-54	74	27.8	184	72.2	6.2
≥55	89	34.5	157	65.5	6.4
Education					
≤High School	74	24.4	208	75.6	5.5
>High School	117	33.1	223	66.9	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Been Told Have High Blood Pressure by a Medical Professional

*Columbia, Greene*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	182	29.3	439	70.7	4.0
Gender					
Male	82	31.8	169	68.2	6.2
Female	100	26.9	270	73.1	4.9
Age					
18-34	7	7.7	104	92.3	5.6
35-54	53	22.3	203	77.7	5.7
≥55	118	50.5	128	49.5	6.9
Education					
≤High School	97	32.8	185	67.2	6.0
>High School	85	26.6	252	73.4	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Fall in Past Three Months

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	No fall % <sup>2</sup>	C.I. <sup>3</sup>	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	318	79.2	4.5	22	3.9	1.7	63	17.0	4.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months, Aged 65 and Older

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	79	57.8	53	42.2	9.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Flu Shot in the Past 12 Months

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	199	30.5	416	69.5	4.0
Gender					
Male	84	30.8	166	69.2	6.1
Female	115	30.3	250	69.7	5.2
Age					
18-64	115	22.9	360	77.1	4.1
≥65	79	57.8	53	42.2	9.4
Education					
≤High School	92	28.6	187	71.4	5.6
>High School	106	32.0	228	68.0	5.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pneumonia Shot, Aged 65 and Older

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	81	61.8	49	38.2	9.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Had a Pneumonia Shot**

*Columbia, Greene*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	152	25.6	428	74.4	4.0
Gender					
Male	57	25.3	171	74.7	6.3
Female	95	25.9	257	74.1	4.9
Age					
18-64	66	14.7	376	85.3	3.8
≥65	81	61.8	49	38.2	9.4
Education					
≤High School	80	27.9	184	72.1	5.9
>High School	72	23.8	242	76.2	5.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease**

*Columbia, Greene*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	353	54.9	251	45.1	4.5
Gender					
Male	133	50.6	114	49.4	6.9
Female	220	59.4	137	40.6	5.7
Age					
18-34	35	30.2	76	69.8	9.3
35-54	132	50.0	120	50.0	6.9
≥55	183	77.9	50	22.1	5.9
Education					
≤High School	201	72.7	70	27.3	6.0
>High School	150	40.8	181	59.2	5.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Having Seen a Dental Professional in the Past 12 Months

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	417	72.0	151	28.0	4.2
Gender					
Male	166	69.2	69	30.8	6.6
Female	251	75.0	82	25.0	5.2
Age					
18-34	74	64.7	38	35.3	9.8
35-54	175	70.4	72	29.6	6.4
≥55	161	79.8	40	20.2	6.0
Education					
≤High School	169	67.1	72	32.9	6.9
>High School	247	75.7	78	24.3	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Lose Weight

*Columbia, Greene*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	299	46.8	319	53.2	4.4
Gender					
Male	100	39.4	150	60.6	6.6
Female	199	54.2	169	45.8	5.7
Age					
18-34	33	29.1	79	70.9	9.2
35-54	139	52.7	115	47.3	6.9
≥55	123	53.1	121	46.9	6.8
Education					
≤High School	128	43.2	153	56.8	6.5
>High School	171	49.8	164	50.2	6.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Trying to Maintain Current Weight of Those not Trying to Lose Weight

*Columbia, Greene*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	174	53.9	143	46.1	6.2
Gender					
Male	81	52.8	69	47.2	8.9
Female	93	55.2	74	44.8	8.4
Age					
18-34	39	49.9	40	50.1	12.2
35-54	62	52.9	52	47.1	10.3
≥55	71	58.7	49	41.3	9.5
Education					
≤High School	73	46.8	78	53.2	8.9
>High School	101	60.6	63	39.4	8.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Eating Fewer Calories or Less Fat to Lose or Maintain Weight

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	368	78.9	100	21.1	4.2
Gender					
Male	135	76.3	43	23.7	6.7
Female	233	81.1	57	18.9	5.1
Age					
18-34	49	73.6	22	26.4	10.7
35-54	167	82.0	33	18.0	6.2
≥55	148	79.0	43	21.0	6.5
Education					
≤High School	158	80.7	39	19.3	6.1
>High School	210	77.6	61	22.4	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Using Physical Exercise to Lose or Maintain Weight

*Columbia, Greene*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	350	75.7	122	24.3	4.3
Gender					
Male	137	75.7	44	24.3	6.8
Female	213	75.7	78	24.3	5.3
Age					
18-34	62	86.3	10	13.7	8.4
35-54	158	79.1	43	20.9	6.3
≥55	128	67.1	65	32.9	7.3
Education					
≤High School	127	64.0	73	36.0	7.5
>High School	223	83.7	49	16.3	4.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Pap Smear

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	268	94.9	12	5.1	3.4

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Pap Smear in Past 3 Years

*Columbia, Greene*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	225	81.4	53	18.6	5.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval